

GRILL  
BETTER!



American Outdoor Grill® • 2015 Collection Catalog • RH Peterson Co.

CRAFTED WITH PRIDE  IN THE USA





Special moments, like a family barbecue or a celebration with friends and neighbors, are made even more so with the American Outdoor Grill

**Backyard Perfection**



## AMERICAN OUTDOOR GRILL

Designed and manufactured by the company that brings you Fire Magic® Premium Grills, AOG grills add style and cooking excellence to your outdoor kitchen

American Outdoor Grills are made with a stylish sleek appearance. The rounded hood and contoured face feature a satin finish that enhances any outdoor kitchen. The AOG grill is constructed from the finest commercial-grade stainless steel and features a large cooking surface with stainless steel rod cooking grids and sleek analog thermometer for precision grilling. With its recessed backburner, warming rack, spit rod and motor, the American Outdoor Grill allows you to create any meal outdoors.

*Whether Built-In or Portable, you'll be delighted with the performance and appearance of your American Outdoor Grill*

### FEATURE HIGHLIGHTS



STAINLESS STEEL ROD COOKING GRIDS



STAINLESS STEEL BURNERS



BUILT-IN IR BACKBURNER



VAPORIZER PANELS



"RAPID LIGHT" IGNITION ("T" SERIES)



ANALOG THERMOMETER WITH POLISHED BEZEL



ON/OFF LIGHT CONTROL BUTTON ("L" SERIES)



ELECTRONIC IGNITION PUSH BUTTON ("L" SERIES)



HALOGEN LIGHTS ("L" SERIES)

- ❖ Stainless steel rod cooking grids
- ❖ Warming rack
- ❖ Distinctively designed analog thermometer with polished bezel
- ❖ Solid brass valves for precise temperature control and long life
- ❖ Flush mounted brass side burner on portable grills-12,000 BTU's
- ❖ Heavy duty 300 series stainless steel construction
- ❖ Halogen lights ("L" series only)
- ❖ 120 Volt power source required ("L" series only)
- ❖ "Rapid Light" piezo ignition system ("T" series only)
- ❖ Advanced high-quality 300 series stainless steel burners
- ❖ Stainless steel vaporizer panels for even heat distribution
- ❖ Backburner and rotisserie kit (not available on -OOSP grills)
- ❖ Easy to handle 4-prong adjustable meat holder for rotisserie
- ❖ Electronic push button ignition ("L" series only)
- ❖ Easy to use drip collection system



## "L" SERIES GRILLS

The new "L" series grills feature an electronic push button ignition system that does not require batteries. It also includes interior halogen lights (controlled by a push button located on the right side of the unit) ideal for night grilling. Requires 120 Volt AC power.



### MODEL 24NBL

Primary Cooking Surface	432 sq. inches
BTU's:	32,000 Primary + 10,000 Backburner
Cutout:	24 1/2" w x 19 1/2" d x 8 1/2" h



### MODEL 30NBL

Primary Cooking Surface	540 sq. inches
BTU's:	45,000 Primary + 10,000 Backburner
Cutout:	30 3/4" w x 19 1/2" d x 8 1/2" h



### MODEL 36NBL

Primary Cooking Surface	648 sq. inches
BTU's:	50,000 Primary + 12,000 Backburner
Cutout:	37" w x 19 1/2" d x 8 1/2" h

## BUILT-IN COLLECTIONS



**HALOGEN LIGHTS**  
Included with all "L" series grills

All models available in Natural Gas with Propane conversion kit included  
All models also available without backburner (-00SP)



Pictured above: 36NBL Grill, REF-20 Refrigerator, & 3282L Double Side Burner



**"RAPID-LIGHT"**

Push-to-light piezo ignition system



**MODEL 36NBT**

Primary Cooking Surface	648 sq. inches
BTU's:	50,000 Primary + 12,000 Backburner
Cutout:	37" w x 19 1/2" d x 8 1/2" h

**"T" SERIES GRILLS**

The new "T" series grills feature a push-to-light piezo ignition system that eliminates the need for electricity or batteries. This results in a self sufficient grill with a clean looking front panel.



**MODEL 24NBT**

Primary Cooking Surface	432 sq. inches
BTU's:	32,000 Primary + 10,000 Backburner
Cutout:	24 1/2" w x 19 1/2" d x 8 1/2" h



**MODEL 30NBT**

Primary Cooking Surface	540 sq. inches
BTU's:	45,000 Primary + 10,000 Backburner
Cutout:	30 3/4" w x 19 1/2" d x 8 1/2" h

## "L" SERIES GRILLS

The new "L" series grills feature an electronic push button ignition system that does not require batteries. It also includes interior halogen lights (controlled by a push button located on the right side of the unit) ideal for night grilling. Requires 120 Volt AC power.



### MODEL 24PCL

Primary Cooking Surface	432 sq. inches
BTU's:	32,000 Primary + 10,000 Backburner + 12,000 Side Burner



### MODEL 30PCL

Primary Cooking Surface	540 sq. inches
BTU's:	45,000 Primary + 10,000 Backburner + 12,000 Side Burner



### MODEL 36PCL

Primary Cooking Surface	648 sq. inches
BTU's:	50,000 Primary + 12,000 Backburner + 12,000 Side Burner

## PORTABLE COLLECTIONS



FLUSH MOUNTED SIDEBURNER



**HALOGEN LIGHTS**  
Included with all "L" series grills



Pictured above: 24PCL Portable grill



**"RAPID-LIGHT"**

Push-to-light piezo ignition system



**MODEL 36PCT**

Primary Cooking Surface	648 sq. inches
BTU's:	50,000 Primary + 12,000 Backburner + 12,000 Side Burner

**"T" SERIES GRILLS**

The new "T" series grills feature a push-to-light piezo ignition system that eliminates the need for electricity or batteries. This results in a self sufficient grill with a clean looking front panel.



**MODEL 24PCT**

Primary Cooking Surface	432 sq. inches
BTU's:	32,000 Primary + 10,000 Backburner + 12,000 Side Burner



**MODEL 30PCT**

Primary Cooking Surface	540 sq. inches
BTU's:	45,000 Primary + 10,000 Backburner + 12,000 Side Burner


## POST MODEL COLLECTION

Designed for condos, apartments, or anywhere space is at a premium. The American Outdoor Grill In-Ground and Patio Post Mount units pack a lot of grilling enjoyment into smaller spaces (432 square inches). The In-Ground Grill models must be cemented into the ground. Pedestal models may be bolted to a deck or concrete slab. Both feature a backburner, warming rack and dual side shelves (standard). The optional stainless steel tank shield is designed to conceal the unsightly propane tank while a safety chain keeps the tank securely in place.

Both grill versions are available as "L" series with lights and electronic ignition and "T" series with "Rapid Light" piezo ignition system.



*Pictured above: 24PPT Pedestal grill with optional Tank Shield*



Model: 3090

*Pedestal and In-Ground models include a three hour safety timer that automatically shuts the gas off.*

Model: TH-PP



OPTIONAL TANK SHIELD

### MODEL 24NPT

Primary Cooking Surface	432 sq. inches
BTU's:	32,000 Primary + 10,000 Backburner

### MODEL 24NGT

Primary Cooking Surface	432 sq. inches
BTU's:	32,000 Primary + 10,000 Backburner

*Post Models available in Natural Gas with Propane conversion kit included  
Models also available without backburner and sideburner (-00SP)*

## ISLAND SYSTEMS

Constructed from durable Glass Fiber Reinforced Concrete (GFRC) and easily assembled on site, these Island Systems are designed specifically for AOG® grills. These 5-piece systems include a Cafe Blanco island base with a contrasting polished Smoke counter top.

### MODEL DC790-CBR-108SM

Dimensions	107" wide x 35" deep x 36" high
Product Requirements	<ul style="list-style-type: none"> <li>• 36NBL (T) grill + AD-36C adaptor</li> <li>• REF-20 Refrigerator</li> <li>• 3282L (T) Double side burner + 3282-AD</li> <li>• 16-39-SSD Front Double Access Door</li> <li>• 20-14-SSDR/DL(DRV/DLV) Side Door</li> </ul>

### MODEL DC430-CBR-75SM

Dimensions	76" wide x 35" deep x 36" high
Product Requirements	<ul style="list-style-type: none"> <li>• 24NBL (T) grill + AD-24C adaptor</li> <li>• REF-20 Refrigerator</li> <li>• 14-20-SSDR/DL Front Single Access Door</li> <li>• 20-14-SSDR/DL(DRV/DLV) Side Door</li> </ul>



Pictured above: DC790-CBR-108SM Island, 36NBT Grill, REF-20 Refrigerator, & 16-39-SSD Double Access Door



# ACCESSORIES



## AOG REFRIGERATOR

<b>Model</b>	REF-20
<b>Cutout</b>	20" w x 22" d x 34 1/2" h

4.2 cubic foot. Interior light and security lock and key. Reversible door hinge. When used outdoors, it must be installed in an enclosure.



## DOUBLE SIDE BURNER

<b>Model</b>	3282T/L (P)
<b>Cutout</b>	11 1/2" w x 22 3/4" d x 8 1/2" h

Enjoy precise flame control on each burner to prepare side dishes and sauces for you meal. Choose from electronic push button (L) or push-to-light (T) ignition systems. Comes with two 12,500 BTU's burners, stainless steel rod grid, and stainless steel cover.



## GRILL LIGHT

<b>Model</b>	3574
--------------	------

This halogen 10-watt bulb light makes evening grilling easy when used with a "T" Series grill. Grill Light Bracket (#24-B-28) must be used with -OOSP models.



## PORTABLE GRILL COVERS

Description	Model
24" Cover for Portable Grill	CC24-C
30" Cover for Portable Grill	CC30-C
36" Cover for Portable Grill	CC36-C



## SINGLE SIDE BURNER

<b>Model</b>	3283 (P)
<b>Cutout</b>	8 3/4" w x 14 1/4" d

Drops into any custom grill island. Sized for sauce and saute pans. Cooking or reheating side dishes or sauces is quick and easy with a 15,000 BTU's burner.



## BUILT-IN GRILL COVERS

Description	Model
24" Cover for Built-In Grill	CB24-C
30" Cover for Built-In Grill	CB30-C
36" Cover for Built-In Grill	CB36-C



## INFRARED BURNER

<b>Model</b>	IRB-18
--------------	--------

You can replace a standard burner with this Infrared Burner. It uses infrared heat to lock up juices for tender meat and full flavor. Perfect for an amazing seared steak.

## Additional AOG Accessories (not pictured)

Description	Model
Portable propane to natural gas Conversion Kit	CK-1-NAT
Insulating Liner (Specify Size)*	24-IL-B, 30-IL-B, 36-IL-B
Adaptors for Grills (Required for Island Systems)	AD-24C or AD-36C
Adaptor for Double Side Burner (Required for DC790 Island)	3282-AD
Rotisserie Kit	RK-24, RK-30, RK-36
Smoker Box	3561
Grill Light Bracket (needed for -OOSP models)	24-B-28

\*Grill island cut-outs change when using insulating liner

# DOORS & DRAWERS



## FEATURE HIGHLIGHTS

- Stainless steel tubular handles
- Double wall construction
- Cut-out is **height x width x depth**
- Most doors can be ordered for either right or left access



### SINGLE ACCESS DOOR\*

Model 24-17-SSDR OR DL

Cutout 25" x 17 1/2"



### SINGLE ACCESS DOOR\*

Model 17-24-SSDR OR DL

Cutout 18" x 24 1/2"



### DOUBLE ACCESS DOOR\*

Model 20-30-SSD

Cutout 21" x 30"



### SINGLE ACCESS DOOR WITH TANK TRAY AND LOUVERS

Model 20-14-SSDRV OR DLV

Cutout 21" x 14 1/2" x 20 1/2"



### DOOR W/DOUBLE DRAWER

Model 18-30-SSDD

Cutout 18" x 30"



### DOOR W/DOUBLE DRAWER & PLATTER STORAGE

Model 18-36-SSDD

Cutout 18" x 36"



### MASONRY DRAWER

Model 13-31-SSD

Cutout 13" x 31" x 20 1/2"



### DOUBLE DRAWER

Model 16-15-DSSD

Cutout 15 3/4" x 14 1/2" x 20 1/2"

* Additional sizes shown on page 9	Single Access Door	Single Access Door	Double Access Door
	Model 20-14-SSDR OR DL	Model 14-20-SSDR OR DL	Model 16-39-SSD
	Cutout 21" x 14 1/2"	Cutout 15" x 20 1/2"	Cutout 16" x 39"



## FEATURE HIGHLIGHTS

- Commercial-grade Stainless Steel
- Black Slam latch handle
- Single wall construction
- Cut-out is **height x width x depth**
- Single Access Doors also available in black powder coat finish
- Most doors are reversible for left or right access



### DOUBLE ACCESS DOORS

Model 20-30-SD

Cutout 20 1/2" x 30"



### SINGLE ACCESS DOOR

Model 17-24-SD

Cutout 17 1/2" x 24 1/2"



### SINGLE ACCESS DOOR

Model 14-20-SD

Cutout 14 1/2" x 20 1/2"



### SINGLE ACCESS DOOR

Model 12-18-SD

Cutout 12 1/2" x 18 1/2"



### SINGLE ACCESS DOOR

Model 24-17-SD

Cutout 24 1/2" x 17 1/2"



### SINGLE ACCESS DOOR

Model 20-14-SD

Cutout 20 1/2" x 14 1/2"



### SINGLE ACCESS DOOR

Model 18-12-SD

Cutout 18 1/2" x 12 1/2"



### SINGLE ACCESS DOOR WITH LOUVERS

Model 20-14-SDV

Cutout 20 1/2" x 14 1/2"



## AMERICAN OUTDOOR GRILL® WARRANTY HIGHLIGHTS

### FIFTEEN YEAR WARRANTY

American Outdoor Grill® stainless steel burners are warranted for Fifteen (15) years

### TEN YEAR WARRANTY

All other American Outdoor Grill® parts (excluding ignition systems, accessories, infrared burner, and vaporizer panels) are warranted for Ten (10) years

### THREE YEAR WARRANTY

Infrared burners and vaporizer panels are warranted for Three (3) years

### ONE YEAR WARRANTY

Ignition systems (excluding batteries) and accessories (including side burners, motors, and thermometers) are warranted for One (1) year

THE ROBERT H. PETERSON CO. RESERVES THE RIGHT TO AMEND PRODUCT SPECIFICATIONS WITHOUT PRIOR NOTICE.

CRAFTED WITH PRIDE  IN THE USA



RH PETERSON CO.  
14724 PROCTOR AVE. CITY OF INDUSTRY, CA 91746  
[www.rhpeterson.com](http://www.rhpeterson.com)